

SANY

Quality Changes the World

HIGHLY MANEUVERABLE

COMFORTABLE OPERATION WITH EXCELLENT DRUM VISIBILITY



ROAD MACHINERY



TANDEM ROLLER
STR27C-10

Engine
KUBOTA D1803 / D1703
Centrifugal force
28/42, 26/35 kN
Working width
1 200 mm
Operating mass
2 750 / 2 700 kg



HIGH PERFORMER

High Flexibility: Small inner turning radius, increased steering precision, and 50 mm steering offset, ideal for tight working spaces.

Grand Performance: Optimal traction and high stability on inclines of up to 40%.

Sufficient Power Resources: Enough power even in demanding work conditions.

EFFICIENT COMPACTION

Quick Progress: High-frequency vibration of 67 Hz, compaction speed of 8 km/h for higher efficiency.

Uniform Compaction: With our unique 11-fold speed adjustment, persistent compaction excellence is achieved.

COMFORTABLE OPERATION

Spacious Operator Platform: Ergonomic design, large control areas, and ample legroom provide comfort during operation.

Excellent Visibility: The slim waist design improves all-around visibility and enhances drum edge visibility, increasing safety

Comfortable Operation: Side-shifting and rotating seat with an adjustment range of 300 mm, a swing range of ±20°, a clear and intuitively operated control panel, and a modern color touchscreen for maximum operator comfort. The operator benefits from the multiple seat adjustment and the good view to the drum edges.

STAGE V SERIES



High-frequency vibration of 67 Hz.



ERGONOMIC DESIGN

Spacious operator platform with ergonomic design, ensuring easy access to all controls.

Sliding and rotating mechanism with a suspended seat for enhanced operator comfort

Compact design with 155 mm protruding drums for excellent visibility and safety





UNPARALLELED OPERATIONAL WORKFIOW





TECHNICAL SPECIFICATIONS


PRODUCT CONFIGURATION OPTIONS


Item	Description of optional configurations	
Canopy	Used for sun and rain protection	
Intelligent compaction	Compaction support	
ROPS lighting	Front and rear work lights	
Warning light	Hazard area lighting at machine edges	
Edge lighting for drums	Front drum-edge lighting	
ASR(Anti-Slip Regulation)	Traction control by flow divider	
Edge cutter	Asphalt edge cutting left, right or both sides	
Active safety	Active safety radar system	
Dual joysticks	Optional joystick on the left side	

PRODUCT PARAMETERS

Overall dimensions

The following are standard configuration measurements; actual values may vary depending on optional components.





UNIT: MM

Item	STR27C-10	STR27C-10
Operating weight w. ROPS CECE (kg)	2 750	2 700
Front and rear load distribution (kg)	1 375/1 375	1 350/1 350
Static linear load CECE (N/cm)	115/115	112/112
Frequency (Hz)	55/67	53/61
Amplitude (mm)	0.5	0.5
Centrifugal force (kN)	28/42	26/35
Drum diameter/width (mm)	700/1 200	700/1 200
Max. gradeability with/without vibr. (%)	30/40	30/40
Engine manufacturer and type	D1803	D1703
Emission stage	Stage V	Stage V
Rated power/speed (kW/rpm)	25/2 400	18.5/2 200
Fuel tank volume (L)	50	50

A SERVICE YOU CAN RELY ON

In the event of a breakdown during your warranty period, Vertu will come to your site as soon as possible to get your machine back up and running.

National Service Representation

Our national service network partnerships provide certainty that you are supported with service and parts, wherever you are located.


Parts and Inventory

As the dealer of SANY excavators, roading and construction equipment Vertu holds a significant inventory of SANY Genuine and aftermarket parts and attachments, both in New Zealand and Australia to keep you going. With direct relationships locally and internationally we can source parts quickly and as a matter of priority.

Flexible, Fast and Always there for you

Paid assistance, tailored advice and a reliable supply of original parts all around NZ. That is what we mean by premuim service

NFW 7FAI AND





Vertu Equipment 0800 837 888 www.vertuequipment.co.nz info@vertuequipment.co.nz Auckland 510 Ellerslie-Panmure Hwy Mount Wellington

Tauranga 67 Hull Road, Mount Maunganui

Christchurch 52 Hickory Place, Islington

